

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L14	6	(reed adj muller) and decod\$3 and (Hadamard adj transform) and (compar\$4 with reliab\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 18:11
L15	5	(reed adj muller) and decod\$3 and (insert\$3 with (zero or "0")) and (compar\$4 with reliab\$7)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 18:18
L20	1	(reed adj muller) and decod\$3 and (insert\$3 with (zero or "0")) and (compar\$4 with reliab\$7) and (inverse adj Hadamard adj transform)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 18:15
L11	70	(reed adj muller) and encod\$3 and punctur\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 18:03
L3	278	341/107.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 17:52
L10	615	370/208.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 17:54
L5	423	375/262.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 17:52
L6	1517	375/340.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 17:52
L1	551	714/752.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 17:51

L2	750	714/755.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 17:52
L7	259	714/762.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 17:53
L8	111	714/780.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 17:53
L9	376	714/784.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 17:53
L4	154	714/790.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 17:52
L21	134	kim-jae-yoel.IN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/11 18:18

Interference Search

DG

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L13	6	(reed adj muller) and decod\$3 and (Hadamard adj transform) and (compar\$4 with reliab\$7)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/11 18:10
L16	5	(reed adj muller) and decod\$3 and (insert\$3 with (zero or "0")) and (compar\$4 with reliab\$7)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/11 18:13
L19	1	(reed adj muller) and decod\$3 and (insert\$3 with (zero or "0")) and (compar\$4 with reliab\$7) and (inverse adj Hadamard adj transform)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/11 18:15
L12	58	(reed adj muller) and encod\$3 and punctur\$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/11 18:08

DF



Search Session History

Home | Login | Logout | Access Information | Alerts | Sitemap | Help

Welcome United States Patent and Trademark Office

BROWSE SEARCH IEEE XPLORE GUIDE SUPPORT

Fri, 11 Nov 2005, 6:26:54 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Run Search

Reset

Select a search number (#) to:


- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

Results

- #1 ((reed muller<in>metadata) <and> (encoding<in>metadata))<and> (puncturing<in>metadata) 1
- #2 ((reed muller<in>metadata) <and> (encoding<in>metadata))<and> (puncturing<in>metadata) 1
- #3 ((reed muller<in>metadata) <and> (decoding<in>metadata))<and> (reliability<in>metadata) 6

Clear Session History



Help Contact Us Privacy & Security IEEE.org
© Copyright 2005 IEEE - All Rights Reserved